



# Water Softeners

E

FRESH IDEAS FOR YOUR HOME

Canature designs, tools and manufactures over 13 series, more than 60 different models of water softener cabinets. Each cabinet has its unique characteristic to meet various demands on style, specification and price etc.

# Water Softeners

New

## CS12H

Canature CS12H cabinet is one of the most advanced existing Cabinets, which designed by Spanish Designer, Unique Design, split salt tank, control valves well protected against of salt corrosion, match with Canature BNT-85SE series control valves to be a high-end softener, can bring more advantages than traditional softeners.





New

## CS13H

The product uses the symmetrical design language and the reasonable function layout builds a graceful attractive appearance. This wholehouse water softener will break through the traditional attention scope of ergonomics and it will provide water treatment products for brand-new design thought.



## Water Softeners Exposition Diagram



Design Features



Optimized cabinet construction, Better outlook, Less deforming.

1



Low cover, High cover, Slide cover, Satisfy the fastidious preference.

2



With Quick Connect, Easy & Fast to install.

3



Manifest Display, Friendly Setting.

4



Localization language, Comfortable to consumer.

5



ABS



HDPE

High grade raw material, More healthy, More enduring.

6

Water Softeners

Model	CS1L 1035	CS1H 1035
Dimension(W*D*H)	350*600*1100 (mm)	350*600*1100 (mm)
Packing Size(W*D*H)	396*640*1180 (mm)	396*640*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	105ctns/210ctns/210ctns	



CS1 1035 / CS1H 1035

Model	CS2L 1035	CS2H 1035
Dimension(W*D*H)	350*600*1100 (mm)	350*600*1100 (mm)
Packing Size(W*D*H)	396*640*1180 (mm)	396*640*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	105ctns/210ctns/210ctns	



CS2L 1035 / CS2 H 1035

Model	CS3L 1017+cover	CS3L 1035+cover	CS3L 1044+cover
Dimension(W*D*H)	334*570*660 (mm)	330*570*1120 (mm)	334*570*1350 (mm)
Packing Size(W*D*H)	376*610*750 (mm)	376*610*1180 (mm)	376*610*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	171ctns/342ctns/342ctns	114ctns/228ctns/228ctns	57ctns/114ctns/114ctns



CS3L 1017 / 1035 / 1044+ Cover

Model	CS3H 1017	CS3H 1035	CS3H 1044
Dimension(W*D*H)	334*570*660 (mm)	334*570*1120 (mm)	334*570*1350 (mm)
Packing Size(W*D*H)	376*610*750 (mm)	376*610*1180 (mm)	376*610*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	171ctns/342ctns/342ctns	114ctns/228ctns/228ctns	57ctns/114ctns/114ctns



CS3H 1017 / 1035 / 1044



Water Softeners

Model	CS4L 0817	CS4L 0835	CS4L 0844
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1340 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns



CS4L 0817 / 0835 / 0844

Model	CS4H 0817 (slide cover)	CS4H 0835 (slide cover)	CS4H 0844 (slide cover)
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns



CS4H 0817 / 0835 / 0844  
(slide cover)

Model	CS4H 0817	CS4H 0835	CS4H 0844
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns



CS4H 0817 / 0835 / 0844

Model	CS4H- II 0817	CS4H- II 0835	CS4H- II 0844
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns



CS4H- II 0817 / 0835 / 0844

Water Softeners

Model	CS5H 1035/CS5H-MO 1035	CS5H-MO 1017
Dimension(W*D*H)	420*490*1100 (mm)	420*490*640 (mm)
Packing Size(W*D*H)	456*590*1180 (mm)	456*590*700 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	100ctns/200ctns/200ctns	150ctns/300ctns/300ctns



CS5H 1035 / CS5H-MO 1035 / CS5H-MO 1017

Model	CS6L 1017	CS6L 1026	CS6L 1035
Dimension(W*D*H)	330*470*660 (mm)	330*470*870 (mm)	330*470*1100 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns



CS6L 1017 / 1026 / 1035

Model	CS6H 1017	CS6H 1026	CS6H 1035
Dimension(W*D*H)	330*470*660 (mm)	330*470*900 (mm)	330*470*1100 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns



CS6H 1017/1026/1035

Model	CS6H 1017 (slide cover)	CS6H 1026 (slide cover)	CS6H 1035 (slide cover)
Dimension(W*D*H)	333*505*575 (mm)	333*505*810 (mm)	333*505*1034 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns



CS6H 1017 / 1026 / 1035 (Slide cover)

Water Softeners

Model	CS7H 1017	CS7H 1026	CS7H 1035
Dimension(W*D*H)	330*470*660 (mm)	330*470*900 (mm)	330*470*1100 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns



Model	CS8L 0713	CS8L 0722	CS8L 0735
Dimension(W*D*H)	200*360*490 (mm)	200*360*700 (mm)	200*360*1060 (mm)
Packing Size(W*D*H)	236*440*606 (mm)	236*440*757 (mm)	236*440*1070 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	396ctns/792ctns/936ctns	355ctns/650ctns/905ctns	250ctns/500ctns/500ctns



Model	CS8H 0713 (slide cover)	CS8H 0722 (slide cover)	CS8H 0735 (slide cover)
Dimension(W*D*H)	200*360*490 (mm)	200*360*700 (mm)	200*360*1060 (mm)
Packing Size(W*D*H)	236*435*606 (mm)	230*435*757 (mm)	230*435*1070 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	396ctns/792ctns/936ctns	320ctns/660ctns/792ctns	250ctns/500ctns/500ctns



Model	CS8H-Plus 0815	CS8H-Plus 0824	CS8H-Plus 0835
Dimension(W*D*H)	240*420*546 (mm)	240*420*775 (mm)	240*420*1056 (mm)
Packing Size(W*D*H)	280*505*606 (mm)	280*505*835 (mm)	280*505*1120 (mm)
Salt storage capacity	3.0kgs	5.7kgs	9.6kgs



Water Softeners

Model	CS9H 0815	CS9H 0835 (0935/1035/1135)	CS9H 0844 (1044/1144)
Dimension(W*D*H)	310*360*570 (mm)	310*360*1100 (mm)	310*360*1330 (mm)
Packing Size(W*D*H)	350*410*590 (mm)	350*410*1170 (mm)	350*410*1350 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	346ctns/692ctns/692ctns	183ctns/366ctns/366ctns	92ctns/184ctns/184ctns



Model	CS10H 1017 (slide cover)	CS10H 1035 (slide cover) CS10H 1035+Clear Cover CS10H 1035 (Split style)
Dimension(W*D*H)	350*500*660 (mm)	350*500*1110 (mm)
Packing Size(W*D*H)	360*545*750 (mm)	360*545*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	203ctns/420ctns/420ctns	130ctns/265ctns/265ctns



Model	CS11H 1026	CS11H 1035
Dimension(W*D*H)	350*512*870 (mm)	350*512*1100 (mm)
Packing Size(W*D*H)	370*565*910(mm)	370*565*1150 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	124ctns/252ctns/252ctns	



Model	CS12H 0926	CS12H 0935
Dimension(W*D*H)	335*516*901 (mm)	335*516*1132 (mm)
Packing Size(W*D*H)	355*565*990 (mm)	355*565*1210 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	132ctns/264ctns	66ctns/264ctns



Water Softeners

Model	CS13H 1017	CS13H 1035
Dimension(W*D*H)	300*512*650(mm)	300*512*1109(mm)
Packing Size(W*D*H)	340*600*720(mm)	340*600*1180(mm)
Salt storage capacity	15Kg	45Kg



Model	Duplex Softener (1054 tank+BTS-100L)
Dimension(W*D*H)	280*380*1610+425*390*900 (mm)
Packing Size(W*D*H)	346*435*1660+445*410*920 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	81ctns/162ctns/162ctns



Model	Duplex Softener (1054 tank+BTR-100L)
Dimension(W*D*H)	280*380*1610+425*390*900 (mm)
Packing Size(W*D*H)	346*435*1660+445*410*920 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	81ctns/162ctns/162ctns



One Step Regeneration Shower Softener



Model	CN-07-05
Dimension(W*D*H)	220*360*490 (mm)
Packing Size(W*D*H)	230*440*606 (mm)
Inlet & Out size	1/2 inch
Container Capacity (20'GP/40'GP/40'HQ)	396ctns/792ctns/936ctns

- No Electricity required
- One step only to complete entire regeneration process
- Maximum working water temperature: 60°C
- Easy installation
- Slide cover for water proof

Choose Your Suitable Control Valves

<div>BNT 65 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS3L/CS4L/CS4H CS8L/CS1L/CS2L CS10HHigh cover Duplexsoftener</div>	<div>BNT 165 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS3L/CS3H/CS4L /CS4H/CS6L/CS8L/ CS10H High cover/ Duplex Softener</div>	<div>BNT 265 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS1H/CS2L/CS2H /CS3L/CS3H/CS4L/CS6L /CS7H/CS8L/CS9H/CS4H/ Duplex Softener</div>	
<div>BNT 365 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS1L/CS2L/CS4L /CS6L/CS8L Duplex Softener</div>	<div>BNT 465 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS4L/CS6L/CS8L/ Duplex Softener</div>	<div>BNT 565 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS4L/CS6L/CS8L/ Duplex Softener</div>	
<div>BNT 665 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS4L/CS6L/CS8L/ Duplex Softener</div>	<div>BNT 765 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS3L/CS4L /CS4H/CS6L/CS8L/ CS10H High cover/ Duplex Softener</div>	<div>BNT 865 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS2H/CS3H/CS5H/CS6L /CS7H/CS9H/CS10H Slide cover</div>	
<div>BNT 75 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS1H/CS2L/CS2H/CS3L /CS3H/CS4L/CS4H/CS5H/CS6L /CS6H/CS7H/CS8L/CS8H/CS9H CS10H High cover/ Duplex Softener</div>	<div>BNT 175 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS1H/CS2L/CS2H/CS3L /CS3H/CS4L/CS4H/CS6L/CS6H/ CS7H/CS8L/CS9H/Duplex Softener</div>	<div>BNT275 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS1H/CS2L/CS2H /CS3L/CS3H/CS4L/CS4H /CS6L/CS6H/CS7H/CS8L /CS9H/CS10H Slide cover/ Duplex Softener</div>	
<div>BNT 85 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>ALL</div>	<div>BNT 85SE Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS10H Slide cover CS12H</div>	<div>BNT 185 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS3L/CS4H/CS6L CS8L/Duplex Softener</div>	
<div>BNT 485HE Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS4H Slide cover/ CS5H/CS6H Slide cover/ CS8H Slide cover/ CS10HSlide cover/ CS11H/Duplex Softener</div>	<div>BNT 585 SE</div> <div></div>	<div>BNT 585 HE</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L/CS2L/CS3L/CS4H/CS6L/ CS8L/CS10H/Slide cover/CS10H High Cover/Duplex Softener</div>	<div>BNT 95 Series</div> <div></div>	<div>Optional Cabinets:</div> <div>CS1L1035/CS2L 1035/ CS6 L Series/Duplex Softener</div>

Pressure Tank	0713	0722	0735	0815	0817	0835	0844	0915	0935	1017	1026	1035	1044	1054	1135	1144
Central Tube Size	13"	22"	35"	15"	17"	35"	44"	15"	35"	17"	26"	35"	44"	54"	35"	44"
Brine Well Size	13"	22"	35"	15"	17"	35"	44"	15"	35"	17"	26"	35"	44"/35"	35"	35"	44"
Brine Valve Size	13"	22"	35"	15"	17"	35"	44"	15"	35"	17"	26"	35"	44"/35"	35"	35"	44"
Resin Volume(STD)	4.5L	11L	14.5L	6.5L	8L	18L	21L	8L	21L	12.5L	18L	25L	32L	40L or 50L	31L	40L